

# Specifications

KROSSI

## Worktops


25-33mm / 1-1.2" Thick  
800mm / 31.5" W  
1400-2000mm / 55.1-78.7" L

## Leg Configurations

Fixed height	720 & 1050mm / 28.3 & 41.3"
Single stage type A	610-1000mm / 24-39.3"
Single stage type B	700-1200mm / 27.6-47.3"
Dual stage	620-1220mm / 24.4-48"

## Workstations

### Enhanced dual stage



All measurements are in millimeters and inches

All intellectual property rights and copyrights are reserved. Nothing contained in this brochure may be reproduced without written permission. Schiavello Group Pty Ltd reserves the right to change any or all details without prior notice. All dimensions stated within this document are nominal and/or approximate only and subject to variation. SCH/SSKRO22-C

**schiaavello**

# Configurations

KROSSI

## Worktops


25–33mm / 1–1.2" Thick  
800mm / 31.5" W  
1400–2000mm / 55.1–78.7" L

## Leg Configurations


Fixed height	720 & 1050mm / 28.3 & 41.3"
Single stage type A	610–1000mm / 24–39.3"
Single stage type B	700–1200mm / 27.6–47.3"
Dual stage	620–1220mm / 24.4–48"

## Workstations


### Enhanced Worktop / Back-to-back cluster




### Enhanced Worktop / Back-to-back cluster of four with articulator




### Rectilinear Worktop / back-to-back cluster




### Rectilinear Worktop / Back-to-back cluster with dividing panel



### Rectilinear Worktop / Back-to-back cluster of four



### 120° Three-way cluster



All measurements are in millimeters and inches

All intellectual property rights and copyrights are reserved. Nothing contained in this brochure may be reproduced without written permission. Schiavello Group Pty Ltd reserves the right to change any or all details without prior notice. All dimensions stated within this document are nominal and/or approximate only and subject to variation. SCH/SSKRO22-C

**schiaavello**

# Configurations

KROSSI

---

## Worktops

25–33mm / 1–1.2" Thick  
800mm / 31.5" W  
1400–2000mm / 55.1–78.7" L


## Leg Configurations

Fixed height	720 & 1050mm / 28.3 & 41.3"
Single stage type A	610–1000mm / 24–39.3"
Single stage type B	700–1200mm / 27.6–47.3"
Dual stage	620–1220mm / 24.4–48"


---

## Workstations

### 90° Two-way workstation




### 90° Four-way workstation




---

### 120° Three-way circular workstation



---

### 90° Four-way circular workstation



All measurements are in millimeters and inches

All intellectual property rights and copyrights are reserved. Nothing contained in this brochure may be reproduced without written permission. Schiavello Group Pty Ltd reserves the right to change any or all details without prior notice. All dimensions stated within this document are nominal and/or approximate only and subject to variation. SCH/SSKRO22-C

**schiaavello**


## Meeting Tables

---

### Rectilinear T-leg

T-leg Fixed 720mm / 28.3"  
A-leg Height adjustable 610–900mm / 24–35.4"  
B-leg Height adjustable 700–1050mm / 27.5–41.3"


Width 800–900mm / 31.5–35.4"  
Length 1600–2600mm / 63–102.3"



### Rectilinear column leg

T-leg Fixed 720mm / 28.3"  
A-leg Height adjustable 610–900mm / 24–35.4"  
B-leg Height adjustable 700–1050mm / 27.5–41.3"


Width 1300mm / 51.1"  
Length 2400–3000mm / 94.5–118.1"



### Rectilinear bridged leg

T-leg Fixed 720mm / 28.3"  
A-leg Height adjustable 610–900mm / 24–35.4"  
B-leg Height adjustable 700–1050mm / 27.5–41.3"

Width 1600mm / 63"  
Length 4800–6000mm / 189–236.2"



All measurements are in millimeters and inches

All intellectual property rights and copyrights are reserved. Nothing contained in this brochure may be reproduced without written permission. Schiavello Group Pty Ltd reserves the right to change any or all details without prior notice. All dimensions stated within this document are nominal and/or approximate only and subject to variation. SCH/SSKRO22-C